



Instruction Sheet

mod. (15)TROLLEY10.USB

mod. (15)TROLLEY10.NOP

SETTING UP THE CASE TO FIT YOUR DEVICES

This case is designed to accommodate different devices such as tablets and laptop computers. The interior foam is provided with a two-parts modular hard foam adaptor, that lock in place to adapt the width of the devices slots. Various combinations are possible to house the following devices:

<p>No adaptor</p> 	<p>Good for:</p> <ul style="list-style-type: none">iPad-ProGalaxy Tab S2 12.2"Surface Pro3Surface 3MacBookMacBook Air11Similar Large Tablets
<p>One Adaptor</p> 	<p>Good for:</p> <ul style="list-style-type: none">iPad (all generations)Galaxy Tab S2 9.7-10.5"Similar Tablets
<p>Two Adaptors</p> 	<p>Good for:</p> <ul style="list-style-type: none">iPad Mini (all generations)8 inches display Tablets

For more information on devices compatibility please contact us.

www.thecaseproject.com
for more information: info@thecaseproject.com

ref: (15)TROLLEY10.USB_(15)TROLLEY10.NOP



CONNECTING THE CHARGERS (Model TROLLEY10.USB only)

To prepare the case to accommodate your iPads, Tablets or similar devices please follow these instructions.

1. Shorten the length of all the USB cords to approximately 45 cm. / 18 in. by bundling the loose cable towards the connector end as shown in the photo.





You may use cable ties to fix the cables to the desired length.

2. Connect the provided USB chargers or your own to the power strip located on the right side of the case.



If you use the provided chargers, please pay attention to connect the chargers towards the outside, not the inside of the strip, to prevent interferences and possible malfunction



www.thecaseproject.com

for more information: info@thecaseproject.com

ref: (15)TROLLEY10.USB_(15)TROLLEY10.NOP

3. One by one, connect all the USB cords to the chargers.



4. Lead the cords through the opening between the chargers bank area and the iPads area; line up each of the iPad connectors to their respective position.



5. Insert the iPads / Tablets in their slots and connect all cables to recharge them.



6. Plug-in the power cord and power up the chargers bank up by connecting to electrical outlet.



→ You may lead the power cord to the outside of the case using the specific groove on the right side to recharge when the case is closed and secured.